

Sony CCD

7.0"

TFT Screen

Li-battery

20-40m Cable

Keyboard


Meter
Counter

www.tvbtech.com

Industrial Video Drain / Pipe Inspection Camera

Model No. 3499F

This is a professional video inspection camera designed for inspection of sewer, pipe, air ducts, undergound cable pipes, etc. Equipped with a Ø23mm Sony CCD camera head, 20-40m fiberglass rod cable and 7" LCD monitor with SD card recording, it's a great choice for pipe DN 40mm~150mm.



TVBTECH CO., LTD

CE FC Z

Mike Liu / Email: Mike@tvbtech.com / Phone: +86 15889631708 Designed and Made in Shenzhen, China





The whole system is rain resistant (box closed). And besides, the cable reel is designed out of the box for easy cleaning and to avoid any dirty things getting into box.

Industrial Video Drain/Pipe Inspection Camera

Purpose of the design

The purpose of designing this product is that over the past years we have more and more customers expect us to design a more advanced drain camera to fix a lot of issues of the 'typical' model that all parts are mounted inside a box; for example, almost nobody will clean the rod cable after using and this makes the box not only dirty but also wet and often damage the product. And after a year's effort, this is built, a more professional, tougher and better looking camera is now available.



TVBTECH CO., LTD
Mike Liu / Email: Mike@tvbtech.com / Phone: +86 158896317



Features

- ◆ 1/3 inch Sony CCD camera, 120° wide vision angle
- Stainless steel camera head, IP68 waterproof level
- Sapphire glass lens cover, 12 high light white LEDs
- Diameter of camera: 23 mm
- ◆ Two plastic guides for camera head, Ø46mm & Ø80mm
- 7" LCD color monitor
- SD Card slot to store still pictures or videos
- One push record button
- ◆ LED brightness control button
- With microphone for local audio recording
- Rechargeable battery lasts up to 6 hours
- On-Screen date and time, distance counter
- ◆ 20, 30 or 40m fiberglass Ø5.2mm push rod
- ◆ Ability to go through 90°bends in Ø45mm pipes
- With smart braking system
- With Keyboard for text input (English)

Specifications

Camera Head		Cable Reel	
Sensor:	1/3" Sony CCD	Material:	Fiberglass rod cable
Head Dimention:	23mm (dia.) ×45mm (length)	Wheel:	Stainless steel wheel
Camera Material:	304# Stainless Steel	Cable Length:	20, 30 or 40m optional
View Angle:	120° wide angle	Connector:	Gold touch-point connector
Lens Cover:	Sapphire glass	Rotation:	Slip ring
Leds:	12 High Bright White LEDs	Wheel diameter:	33cm
Water Proof:	IP68-20m under water	Cable diameter:	5.2mm (0.2")
Focus Distance:	20cm (Approx)		

LCD Display and DVR	
LCD Resolution:	800*480 pixels
Video Compress:	MPEG-4
Recording:	Video and audio recording
Picture:	Picture shot function
LCD Size:	7 inch
Menu Language:	9 Languages
Panel Control:	Any functions through buttons
External Memory:	SD Card (Max. 32GB)

Industrial Video Drain/Pipe Inspection Camera

Own Repairable



You can get any spare parts or guides from us to repair your cameras in your own company.



Parts for a kit







1 × Camera Head



1 × Cable Reel



1 × 46mm Skid



1 × 80mm skid



1 × Power Adapter



1 × Car Charger



1 × Connection Cable



1 × Remote Control



1 × Screw Driver