



Products

Our water pumps made of 304 stainless steel on all surfaces in contact with water are suitable for use in the industrial industry for the discharge of liquids up to 90 °C and are also suitable for the evacuation of some foodstuffs and chemicals. Turkey Manufacturer Of Centrifugal Pump.

STAINLESS HOT WATER PUMP

SMINOX/A-100-S



STAINLESS HOT WATER PUMP

Stainless body, open-close impeller centrifugal pumps. This type stainless body centrifugal pumps manufactured at frequencies of 50 Hz and 60 Hz. Turkey Manufacturer Of Centrifugal Pump.

FIELDS OF USAGE

This type stainless body centrifugal pumps have all surfaces in contact with water are stainless these types of pumps are using at, up to maximum 19 m height pressured water in water treatment systems, in food industries, in hospitals and hygienic environments, in transferring various chemicals, in garden irrigation, in fish farms, in pool circulation systems and silent pumps. Turkey Manufacturer Of Centrifugal Pump.

MATERIAL SPECIFICATIONS

PUMP BODY	:	AISI 304 INOX (AISI 316 INOX)
IMPELLER	:	AISI 304 INOX (AISI 316 INOX)
AXLE	:	AISI 304 INOX (AISI 316 INOX)
LIQUID PRESSURIZING TEMPERATURE	:	0 - 90 ° C
PROTECTION CLASS	:	IP 54
ISOLATION	:	CI.F
MECHANICAL SEAL	:	SERAMİK / KARBON

THERMAL PROTECTION IS AVAILABLE IN MONOPHASE MODELS AGAINST OVERLOADS.


TECHNICAL SPECIFICATIONS

MOTOR											PUMP									
TYPE	KW	HP	V Single	V Three	Hz	A Single	A Three	rpm	CAPACITOR μf	CAPACITOR Vc	Suction m	INPUT OUTPUT	W mm	L mm	H mm	KG	m³/h	3	6	


(/en)

SMINOX																			
Dealer																			
Login (https://bayi.sumakpompa.com/)																			
SMINOX/A-100-S SMINOX/A-100 T-S	0,75	1	220	380	50	5,2	2,4	2900	20	450	-	1½ 1¼	200	330	215	11	Hm	12,5	11
SMINOX/A-150-S SMINOX/A-150 T-S	1,1	1,5	220	380	50	5,5	2,5	2900	25	450	-	1½ 1¼	200	330	215	11,5		14	12,5
SMINOX/K-100-S SMINOX/K-100 T-S	0,75	1	220	380	50	5,2	2,4	2900	25	450	6	1½ 1¼	200	330	215	11		13	11
SMINOX/K-150-S SMINOX/K-150 T-S	1,1	1,5	220	380	50	6	2,6	2900	25	450	6	1½ 1¼	200	330	215	11,5		17	15

Optionally it can be produced with AISI 316 stainless steel.



(/uploads/BayiUrunler/_hztfoubq0nvf.jpg)



(/uploads/BayiUrunler/_hztfoubq0nvfm.jpg)

STAINLESS HOT WATER PUMP

SMINOX/A-150/2-S